

Cass County, Missouri  
 Classification of the Soils

Soil name	Family or higher taxonomic class
BARCO-----	Fine-loamy, mixed, thermic Mollic Hapludalfs
BLACKOAR-----	Fine-silty, mixed, mesic Fluvaquentic Endoaquolls
BREMER-----	Fine, smectitic, mesic Typic Argiaquolls
COWETA-----	Loamy, siliceous, thermic, shallow Typic Hapludolls
DEEPWATER-----	Fine-silty, mixed, thermic Typic Argiudolls
ERAM-----	Fine, mixed, thermic Aquic Argiudolls
FREEBURG-----	Fine-silty, mixed, mesic Aquic Hapludalfs
GREENTON-----	Fine, smectitic, mesic Aquic Argiudolls
HAIG-----	Fine, smectitic, mesic Vertic Argiaquolls
HIGGINSVILLE-----	Fine-silty, mixed, mesic Aquic Argiudolls
KENOMA-----	Fine, smectitic, thermic Vertic Argiudolls
MACKSBURG-----	Fine, smectitic, mesic Aquic Argiudolls
MANDEVILLE-----	Fine-loamy, mixed, mesic Typic Hapludalfs
MONITEAU-----	Fine-silty, mixed, mesic Typic Endoaqualfs
NORRIS-----	Loamy, mixed, acid, mesic, shallow Typic Udorthents
NOWATA-----	Loamy-skeletal, mixed, thermic Typic Argiudolls
OSKA-----	Fine, smectitic, mesic Vertic Argiudolls
POLO-----	Fine, smectitic, mesic Typic Argiudolls
SAMPSEL-----	Fine, smectitic, mesic Vertic Argiaquolls
SHARPSBURG-----	Fine, smectitic, mesic Typic Argiudolls
SNEAD-----	Fine, mixed, mesic Aquic Hapludolls
SUMMIT-----	Fine, smectitic, thermic Vertic Argiudolls
VERDIGRIS-----	Fine-silty, mixed, thermic Cumulic Hapludolls
WELLER-----	Fine, smectitic, mesic Aquertic Chromic Hapludalfs
ZOOK-----	Fine, smectitic, mesic Cumulic Vertic Endoaquolls